




ThermOne Retro-Up shower system

#91285





FEATURES

Solid brass
Service check valves / stop valves
Thermostatically limited to within 42° C

Flow rate: 4.5gpm (17L/min) at 45psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)



61234 NPT CONNECTION

- 1/2" male water inlets - NPT/sweat
- 1/2" male water outlets - NPT/sweat




61236 PEX CONNECTION

- PEX water inlets and top outlet
- 1/2" male bottom water outlet - NPT/sweat



61238 WB CONNECTION

- WB water inlets and top outlet
- 1/2" male bottom water outlet - NPT/sweat



RIGA # 20232

ThermOne trim kit for #61234 - #61236 - #61238



FEATURES

Thermostatic cartridge pre-set to never exceed 42°C/108°F
 Lift and rotate temperature / volume control using one single lever
 THERMO-DRY™ -avoids any risks of hot/cold water cross contamination
 Shower valve not included


FINISH

Polished chrome (pc)

WARRANTY

Limited lifetime warranty on all cartridges and also on the polished chrome finish. All other components and parts carry a limited five-year warranty.

CODE & COMPLIANCE



COMPLETE RETRO-UP #90855

shower system



FEATURES

- 32" round rail with 17" projection
- Solid brass
- Adjustable sliding hook
- 9" rainhead
- Triple function round handshower (rain, massage, mist)
- 5' double interlock flexible hose, anti-torsion
- 1/2" NPT female inlet in the top position
- Allows easy upgrade of a standard shower

FINISH

Polished chrome (pc)

WARRANTY

limited lifetime warranty on all cartridges and also on the polished chrome finish. All other components and parts

